Massachusetts Water Resources Authority 2016 Annual **Test Results**

→ EVERY DROP COUNTS

This report contains very important information about your drinking water. Please translate it, or speak with someone who understands it.

Si usled desea obtener una copia de este réporte en aspañnol llamenos al telefono 617-788-1190.

informazioni sulla qualità dell'accus della Comunità Tra-durlo o parlame con un amico che lo comprenda.

O relatório contem informações importantes sobre a qualidade da ácua da comunidade. Traduza-o ou peca a alquém que o aude a entendé-lo melhor.

Sprawozdanie zawiera ważne informacje na temat jakości wody w Twojej miejscowści Poprot kogot o przełumaczenie po lub porozmawiaj z osobą która je dobrze rozume

بحذوي هنا التذرير على محلوسات ا فساسة عن توعيهة ساء الشريد في متطقتك يرجى لرهمته أراب التقريم مع مسيق الديقهم فنه الطريان جيداً:

i suznéhr rovalopit supovetvolf. Televise solution supovetvol

Gemeinschaft, Der Bericht soll übersetzt werden, oder sprechen Sie mit einem Freund, der ihn gut eversteht. 这份报告中有些重要的信息。 讲到关于世际在社区的未的品 器, 诵想投入翻译一下, 威者

Im Berichi steht wichtige Information

über die Dualität des Wassers Ihrer

请把推荐爆运份报告的附友给 他NB-7 La relazione contiene importanti この資料には、あなたの飲料水 についての大切な情報が書かれ

ています、内容をよく理解する ために、日本語に翻訳して読む か説明を受けてください。

fann en age anti armenti di në ?: pror prer argani ettet, si fash sonari in pa un is gfielt i

üldündinen e nevidentiği ບອີຖຸກະເລາຍພາກໃຈມານອີຄາແໜ່ 1000031000031 7

이 보고서에는 귀에게 거주하는 지역의 수집에 관한 문요한 분보 가 들어 강합니다. 미것에 변화



ໄດ້ພາກຳເທົ່າທ່າງການຕໍ່ທາງ



we that it why is such it

US Centers for Disease Control & Prevention (CDC) List of State Certified Water Quality Testing Labs Source Water Assessment and Protection Reports Information on Water Conservation

Public Meetings

MWRA Board of Directors MWRA Advisory Board Water Supply Citizens Advisory Committee

www.mwra.com	617-242-5323
www.mass.gov/dep	617-292-5500
www.mass.gov/dph	617-624-6000
www.mass.gov/dcr/watersupply	617-626-1250
www.cdc.gov	800-232-4636
www.mwra.com/testinglabs.html	617-242-5323
www.mwra.com/sourcewater.html	617-242-5323
www.mwra.com/conservation.html	617-242-SAVE

www.mwra.com/boardofdirectors.html 617-788-1117 617-788-2050 www.mwraadvisoryboard.com 413-213-0454 www.mwra.com/wscac.html

For A Large Print Version, Call 617-242-5323.

MASSACHUSETTS WATER RESOURCES AUTHORITY AND YOUR LOCAL WATER DEPARTMENT

Where To Go For Further Information

Massachusetts Water Resources Authority (MWRA)

Massachusetts Dept. of Environmental Protection

Massachusetts Dept. of Public Health (DPH)

Department of Conservation and Recreation

This report is required under the Federal Safe Drinking Water Act. MWRA PWS ID# 6000000



Dear Customer,

I am pleased to share with you the results of our annual water quality testing. MWRA takes hundreds of thousands of tests each year to ensure your water is safe and of the highest quality. In 2016, we again met every federal and state drinking water standard.

Lead in drinking water is still a hot topic. System-wide, MWRA has been below the lead action level for many years now, but there are still many lead service lines within our member communities. MWRA has developed a \$100 million, zero-interest loan program to help communities remove these lead service lines and communities are starting to use those funds. MWRA has also tested over 14,000 samples from drinking water fixtures in over 300 schools in 35 communities. We have been working closely with our partners at the Massachusetts Departments of Environmental Protection and Public Health to make every effort to reduce the risk of lead at the tap to protect the health of the children in our service area. More information on lead can be found on pages 4 and 5 of this report.

Also of importance this year is the recent drought that has affected our region. Even with the rain we have had this spring, it is very important that everyone work together to conserve the water we have. In November 2016, the Quabbin Reservoir dipped into the "Below Normal" range for the first time in over a decade. While there are no mandatory restrictions and there is still a long way to go before we reach the "Drought Warning" stage, it is important that residents and businesses in our member communities save water wherever they can. Page 3 of this report includes tips on how you can conserve water both indoors and outdoors. More information can also be found on our website at www.mwra.com.

We hope you take a few minutes to read this report and learn about your water system. MWRA has great confidence in the water we deliver to your home and we want you to share that confidence. Please contact us if you have any questions or concerns about your water quality, or about any of MWRA's programs.

Sincerely,

Frederick A. Laskey Executive Director



MWRA Board of Directors

Matthew A. Beaton, Chairman • John J. Carroll, Vice-Chair • Andrew M. Pappastergion, Secretary • Austin F. Blackmon • Kevin L. Cotter • Paul E. Flanagan • Joseph C. Foti • Brian Peña • Henry F. Vitale • John J. Walsh • Jennifer L. Wolowicz


WHY YOUR WATER TASTES GREAT – HIGH QUALITY SOURCE WATER

Your water comes from the Quabbin and Wachusett Reservoirs, about 65 and 35 miles west of Boston, respectively. Water from the Ware River can also add to the supply at times. These pristine reservoirs supply wholesale water to local water departments in 51 communities. The two reservoirs combined supplied about 210 million gallons a day of high quality water to consumers in 2016.

The Quabbin and Wachusett watersheds are naturally protected with over 85% of the watersheds covered in forest and wetlands. To ensure safety, the streams and reservoirs are tested often and patrolled daily by the Department of Conservation and Recreation (DCR).

Rain and snow falling on the watersheds protected land around the reservoirs - flow into streams and then into the reservoirs. This water comes in contact with soil, rock, plants. and other material as it follows its natural path to the reservoirs. While this process helps to clean the water, it can also dissolve and carry very small amounts of material into the reservoir. Minerals from soil and rock do not typically cause problems in the water. But, water can also transport contaminants from human and animal activity. These can include bacteria and pathogens - some of which can cause illness. The test data in this report show that these contaminants are not a problem in your reservoirs' watersheds.

The Department of Environmental Protection (DEP) has prepared a Source Water Assessment Program report for the Quabbin and Wachusett Reservoirs. The DEP report commends DCR and MWRA on the existing source water protection plans, and states that our "watershed protection programs are very successful and greatly reduce the actual risk of contamination." MWRA follows the report recommendations to maintain the pristine watershed areas.





Monitoring Water Quality In Real Time. Your water is monitored by a state-of-the-art system in real time – 24 hours a day, seven days a week – to make sure it is free of contaminants. This allows MWRA to respond to changes in water quality almost immediately.



WHY YOUR WATER IS SAFE – WATER TREATMENT

Clean, fresh water is what you expect when you take a drink of water, and that's what the Massachusetts Water Resources


Authority delivers right to your tap. Part of the reason that the water quality is so good is MWRA's state-of-the-art treatment at the John J. Carroll Water Treatment Plant in Marlborough. Since 2005, your water has been treated with ozone produced by pure oxygen. Ozone ensures strong protection against microbes and viruses, improves water clarity, and makes the water taste better. In 2014, we added ultraviolet (UV) disinfection, further improving the quality of water. UV light is essentially a more potent form of the natural disinfection from sunlight, and ensures that any pathogens that may be in our reservoirs are rendered harmless.

In addition, fluoride is added to promote dental health, and the water chemistry is adjusted to reduce corrosion of home plumbing. Last, we add mono-chloramine, a mild and long-lasting disinfectant combining chlorine and ammonia to protect the water as it travels through miles of pipelines to your home.

TESTING YOUR WATER – EVERY STEP OF THE WAY

Test results show few contaminants are found in the reservoir water. The few that are found are in very small amounts, well below EPA's standards.

Turbidity (cloudiness of the water) is one measure of overall water quality. All water must be below 5 NTU (Nephelometric Turbidity Units), and water can only be above 1 NTU if it does not interfere with effective disinfection. In 2016, turbidity was always below both the 5.0 and 1.0 NTU standards, with the highest level at



0.8 NTU. Typical levels at the Wachusett Reservoir are 0.3 NTU.

MWRA also tests reservoir water for pathogens such as fecal coliform, bacteria, and the parasites *Cryptosporidium* and *Giardia*. They can enter the water from animal or human waste. All test results were well within state and federal testing and treatment standards.

TEST RESULTS – AFTER TREATMENT

EPA and state regulations require many water quality tests after treatment to check the water you are drinking. MWRA conducts hundreds of thousands of tests per year on over 120 contaminants (a complete list is available on www.mwra.com). Details about 2016 test results are in the table below. The bottom line is the water quality is excellent.

Compound	Units	(MCL) Highest Level Allowed	(We Found) Detected Level-Average	Range Of Detections	(MCLG) Ideal Goal	Violation	How It Gets In The Water
Barium	ppm	2	0.008	0.008-0.009	2	No	Common mineral in nature
Mono-Chloramine	ppm	4-MRDL	2.12	0-3.6	4-MRDLG	No	Water disinfectant
Fluoride	ppm	4	0.68	0.43-0.87	4	No	Additive for dental health
Nitrate^	ppm	10	0.04	0.01-0.04	10	No	Atmospheric deposition
Nitrite^	ppm	1	0.005	ND-0.005	1	No	Byproduct of water disinfection
Total Trihalomethanes	ppb	80	12.6	3.2-15.6	ns	No	Byproduct of water disinfection
Haloacetic Acids-5	ppb	60	10.3	0-13	ns	No	Byproduct of water disinfection
Total Coliform	%	5%	0.7% (Aug)	ND-0.7%	0	No	Naturally present in environment
Combined Radium*	pCi/L	5	1.76	ND-1.76	0	No	Erosion of natural mineral deposits

• Test Results After Treatment

KEY: MCL=Maximum Contaminant Level. The highest level of a contaminant allowed in water. MCLs are set as close to the MCLGs as feasible using the best available technology. **MCLG**=Maximum Contaminant Level Goal. The level of contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. **MRDL**=Maximum Residual Disinfectant Level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. **MRDLG**=Maximum Residual Disinfectant Level Goal. The level of a drinking water disinfectant below which there is no known or expected health risk. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination. **ppm**=parts per million **pb**=parts per billion **ns**=no standard **ND**=non detect **^**=As required by DEP, the maximum result is reported for nitrate and nitrite, not the average. *Result from 2014



Drink Local And Be Green! Tap water is delivered straight to your home without trucking or plastic waste. Bottled water produces over 10.000 times the amount of greenhouse gases as tap water. Half of our energy needs for water and wastewater treatment are met with green power including hydro-energy, wind turbines, and solar panels.

WATER SYSTEM REDUNDANCY

For several years now, MWRA has been focusing on ensuring redundancy for each water service area. That means providing a second means of getting water to an area if something happens to the primary pipeline - like a major water main break.

Much progress has been made and we now have full redundancy from the water treatment plant in Marlborough to the tunnels that carry water into the metropolitan area; however, there is no redundancy for those tunnels. MWRA plans to construct two new tunnels beginning in Weston - one to the north and one to the south - to address this issue. The actual construction would not begin for several years, but in the meantime, several smaller projects will be completed to strengthen this system until the new tunnels are completed.


New redundant pipelines are currently under construction in both the northern service area, through Reading, Stoneham

and Woburn, and the southern service area, through Boston and Dedham.

ON-GOING PIPELINE REHABILITATION

MWRA continues to rehabilitate and replace older pipelines throughout the distribution system to improve both reliability and water quality. MWRA has also provided zero-interest loans to communities for local pipeline projects since 1998. In 2016, \$17.3 million was loaned to communities for 18 projects including the replacement of over 17 miles of older, unlined pipes with new cement-lined ductile iron water pipes.





We know that conservation works. Customers in the MWRA service have reduced their average daily demand from 340 million gallons per day in 1980 to about 210 million gallons today. It is important that these conservation efforts continue especially during dry periods.

Cut Out And Conserve More tips are available at MWRA.com. ▷Indoor Tips



Install low-flow aerators on vour faucets. You'll save 1 to 5 gallons per minute.





Never use your toilet as a wastebasket. You'll save 1 to 2 gallons per flush (and you'll save your pipes).

Replace

your washing machine with a high-efficiency model. You'll use 30 to 50% less water.

Fix that leaky faucet. Worn-out washers can waste hundreds of gallons per week.



>Outdoor Tips⊲


Water your lawn overnight or before 5 am. Mid-day watering will result in evaporation.



Aerate your soil in the spring and fall. This will aid water absorption and retention.

Raise the mower blade to 2 or 3 inches or more. Longer grass retains moisture and competes better against weeds.

One inch of water a week is plenty. After heavy rains, you may not need to water for 10 to 14 days.







With All The News about lead in drinking water, you may have some concerns about the safety of your tap water. MWRA's water system has been below the Lead Action Level for over a decade. Of the 2,300 samples taken in the last 5 years, 98% were below the 15 ppb level.

WHAT YOU NEED TO KNOW ABOUT LEAD IN TAP WATER

MWRA water is lead free when it leaves the reservoirs. MWRA and local pipes that carry the water to your community are made mostly of iron and steel and do not add lead to the water. However, lead can get into tap water through pipes in your home, your service line if it is made of lead, lead solder used in plumbing, and some brass fixtures. Corrosion or wearing away of lead-based materials can add lead to tap water, especially if water sits for a long time in the pipes before it is used.

In 1996, MWRA began adding sodium carbonate and carbon dioxide to adjust the water's pH and buffering capacity. This change has made the water less corrosive,

-	Sept. 2016 Lead & Copper Results	Range		Action	(Ideal Goal) MCLG	#Home Above AL/ #Homes Tested
	Lead (ppb)	0-70	6.9	15	0	10/463
	Copper (ppm)	0-0.18	0.09	1.3	1.3	0/463

KEY: AL=Action Level-The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Definition of **MCLG** available on page 2.

→90% Lead 16 Levels 14 Lead Action Level=15 ppb in MWRA 12 System of 10 Fully Served 8 Communities 6 4 2 0 Sept. Sept. Sept. Sept. Sept. Sept. Sept. 2010 2011 2012 2013 2014 2015 2016

What Can I Do To Reduce Exposure To Lead In Drinking Water?

Let the water run before using: fresh water is better than stale! To save water, fill a pitcher with fresh water and place in the refrigerator for future use

 Any time water has gone unused for
more than 6 hours, run each faucet used for
drinking or
cooking until after the water becomes cold.

 Never use hot water from the faucet for drinking or
cooking,
especially when making baby formula
or other food for infants. CheckRemyourleadplumbingdebtfixturesfewto see ifremthey areaeralead-free.eachRead theyourlabelsflustclosely.for a

Remove loose lead solder and debris. Every few months remove the aerator from e. each faucet in your home and flush the pipes for 3-5 minutes. Be careful of places you may find lead in or near your home. Paint, soil, dust and some pottery may contain lead.



Call the Department of Public Health at 800-532-9571 or EPA at 800-424-LEAD for health information.

thereby reducing the leaching of lead into drinking water. Lead levels found in tests of tap water have dropped by over 90 percent since this treatment change.

MWRA MEETS LEAD STANDARD IN 2016

Under EPA rules, each year MWRA and your local water department must test tap water in a sample of homes that are likely to have high levels. These are usually homes with lead service lines or lead solder. The EPA rule requires that 9 out of 10, or 90%, of the sampled homes must have lead levels below the Action Level of 15 parts per billion (ppb).

All 21 sampling rounds over the past twelve years have been below the EPA standard. Results for the 463 samples

taken in September 2016 are shown in the table. Nine out of ten houses were below 6.9 ppb, which is below the Action Level of 15 ppb. Only two communities, Malden and Quincy, were above the Action Level for lead.
Your community letter on page 7 will provide you with local
results and more information.

If present, elevated levels of lead can cause serious health problems, especially for unborn babies and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. MWRA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. If your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap water for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your

IMPORTANT

information from EPA

about lead

water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at 1-800-426-4791 or www.epa.gov/safewater/lead.



Did You Know? Most cases of lead poisoning are from contact with peeling lead paint and lead paint dust. But drinking water exposed to lead can increase a person's total lead exposure. This is particularly a concern for small children or pregnant women.

" What do I do if I have a lead service line?"



WHAT IS A LEAD SERVICE LINE? WHAT IS THE CONCERN?

A service line is the pipe that connects your house to the water main in the street. Some service lines that run from older homes (usually those built before 1940) are made from lead. Many of these older service lines have been replaced, but some remain. These service lines are the main source of lead in tap water in homes that have them. Therefore, removing lead service lines is a priority to reduce the potential for lead exposure, particularly if a pregnant woman or child lives at your home.

HOW DO I REPLACE MY LEAD SERVICE LINE?

If you have a lead service line, you should consider replacing it. Many communities have programs to help with the replacement cost. Removing the whole lead service line is important. It is the only way to ensure that your service line will not be adding lead to your water. Partial replacements which leave some lead pipe behind - do not lower lead levels, and in many cases, can actually increase lead levels.

MWRA PROGRAM TO REPLACE LEAD SERVICE LINES

To help communities in removing lead service lines, MWRA and its Advisory Board approved a program to make available \$100 million in zero-interest loans to its member communities to fully replace lead service lines. Under the program, each community can



testing available for residents. Please contact your local water department for more information.

develop its own program, tailored to their local circumstances. Several communities have already moved forward with programs. To find out more, please read your community letter or contact your local water department.

You can identify a lead service line by carefully scratching it with a key. \longrightarrow

New copper service line

For more information on lead service lines go to mwra.com.

Lead Testing In Schools



Starting in 2016, MWRA in coordination with DEP, provided no-cost lab analysis and technical assistance for schools and day care centers across all of MWRA's water communities. Almost all



MWRA communities have already participated in the program, and sampling is still ongoing. Over 14,000 sample bottles from over 300 schools across 35 communities were received, and over 29,000 tests were completed. Most of the results are available on the DEP website — www.mass.gov/dep (search for lead in schools). Some results also may be available through your local community website, DPW, or school department.



MWRA Takes Customer Concerns Seriously. Every call is investigated to ensure that there are no problems with the water supply. Most complaints are related to discolored water, which is usually related to local construction or hydrant use. If you have a question or concern, please call your local water department or MWRA at 617-242-5323.

TESTS IN COMMUNITY PIPES

MWRA and local water departments test 300 to 500 water samples each week for total coliform bacteria. Total coliform

bacteria can come from the intestines of warm-blooded animals, or can be found in soil, plants, or other places. Most of the time, they are not harmful. However, their presence could signal that harmful bacteria from fecal waste may be there as well. If total coliform is detected in more than 5% of samples in a month, the water system is required to investigate the possible source and fix

any identified problems. If a water sample does test positive, we run more specific tests for *E.coli*, which is a bacteria found in human and animal fecal waste and may cause illness. No *E.coli* was found in any MWRA community in 2016. If your community found any total coliform, it will be listed within the community letter on page 7.

DRINKING WATER AND PEOPLE WITH WEAKENED IMMUNE SYSTEMS

Some people may be more vulnerable to contaminants in drinking water than

the general population. Immuno-compromised persons such as persons with cancer undergoing

chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the EPA's Safe Drinking Water Hotline (1-800-426-4791).

CONTAMINANTS IN BOTTLED WATER AND TAP WATER

Drinking water, including bottled water, may reasonably be expected to



contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791) or MWRA. In order to ensure that tap water is safe to drink, the Massachusetts DEP and EPA

prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) and Massachusetts Department of Public Health regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

RESEARCH FOR NEW REGULATIONS

MWRA has been working with EPA and other researchers to define new national drinking water standards by testing for unregulated contaminants. To read more about these regulations, and to see a listing of what was found in MWRA water, please visit www.mwra.com/UCMR/2016.html.

INFORMATION ABOUT CROSS CONNECTIONS

Massachusetts DEP recommends the

installation of backflow prevention devices for inside and outside hose connections to help protect the water in your home as well as the drinking water system in your town. For more information on cross connections, please call 617-242-5323 or visit www.mwra.com/crosscon.html.





All of the trees and protected land in the Quabbin, Wachusett and Ware River watersheds act as extra layers of protection from possible contamination. The protected land acts as a natural filter, and is one of the reasons MWRA water is often rated as some of the best in the country. Since 1985, almost \$150 million has been invested in land protection.





In 2016, MWRA received the DEP Award for Outstanding Performace by a Public Water System. → Your Drinking Water. Important information from your community.



Town of Winthrop Department of Public Works 100 Kennedy Drive, Winthrop, MA 02152 Public Water Supply # 3346000

Dear Water Customer:

The Winthrop Department of Public Works is pleased to provide this annual water quality report to keep you informed about our water distribution system.

Our Distribution System

The Town of Winthrop purchases all of its water directly from the MWRA. We are happy to have a partnership with the MWRA in our mission to supply some of the best quality water in the country. This water is delivered through a series of master meters and the pressure is regulated at the Town's pressure reducing station before being conveyed through the network of buried water mains and ultimately to your home or business.

Meter Replacement Program

In an effort to enhance meter reading productivity and customer service, Winthrop has converted to a radio read system and is actively working on a town-wide meter replacement project. This initiative will help reduce unaccounted for water.

Leak Detection

The Town of Winthrop undergoes an annual leak detection survey to help locate leaks and to reduce unaccounted for water. This past survey discovered 4 service leaks, 3 leaking hydrants, and 2 leaking valves. All leaks were promptly repaired.

Backflow Protection

The Town of Winthrop continues to enforce the DEP mandated cross connection control and prevention program to prevent contamination from entering our distribution system. In 2016, the department conducted 96 backflow prevention device tests town-wide.

Hydrant Flushing Program

The Water Division has continued its 15 phase unidirectional flushing program. This is a very important program that helps maintain water quality by removing naturally occurring sediments in the water mains that can cause taste, odor, and turbidity problems for consumers. This program also serves the community by exercising gate valves and inspecting and testing hydrants to assure adequate fire protection. Four phases of this program were completed in 2016.

Water System Maintenance

The DPW Water Division is responsible for operating and maintaining the Pressure Reducing Station, 46 miles of buried water main, a 1 Million Gallon capacity stand-pipe, 500 fire hydrants and the 4,500 service connections.

In 2016, the Water Division repaired 11 water main breaks and 100 full or partial lead services were replaced with copper, 10 by in-house staff and 90 as part of an MWRA-funded water main

replacement project called Contract 4. This project also accounted for the replacement of approximately 5,000 feet of water main in excess of 75 years old. The division also replaced 15 fire hydrants and repaired 4 more. The Contract 5 Water Main Replacement project is scheduled to begin in July of 2017 and will replace another 2,000 feet of aged water main and will remove approximately 60 more full or partial lead services from the system.

Lead in Your Water

The Department of Public Works is committed to reducing the amount of lead in our water distribution system and is actively monitoring for excessive limits of lead and copper. This includes regular sampling of our water to preserve the quality. One of the testing protocols is for lead and copper, which occurs once per year in September. In 2016, Winthrop met the lead and copper action levels with results of 9.26 ppb and 79.6 ppb respectively. In addition to regular sampling, the Winthrop DPW has taken the following steps to address lead and copper:

- Has completely identified the remaining lead services and continues to update the database to account for converted services.
- Continued our program to remove 7% of the Town owned portion of the remaining lead services coupled with a program that offers homeowners an opportunity to replace the private portion of the service.
- Is committed to making lead line replacement a priority in planning and defining scope for MWRA funded water main replacement projects.

Property owners with existing lead services, who wish to participate in the lead removal program or want further details, are encouraged to call the DPW at 617-846-1341 or email scalla@town. winthrop.ma.us. We urge owners of older homes and buildings to inspect their plumbing and, if possible, replace fittings that have lead joints or lead solder. We also encourage you to review the information contained in this report to take practical steps to reduce exposure to lead and other common contaminants.

Total Coliform Tests in Community Pipes

The Winthrop Water Department tests 12 samples twice per month for total coliform bacteria to monitor the distribution system. The EPA requires that no more than 5% of the samples in a month may be positive. Winthrop had 2 positives in September (6.7%). The Water Department was then required to do an assessment. No further positives were found in 2016.

We truly hope you find this report useful and informative. If you have further questions, feel free to contact the Winthrop DPW, the MWRA, or other contacts such as the DEP or EPA as listed herein.

Steve R. Calla Public Works Director I Water Superintendent

→Water Conservation TIPS FOR SAVING INDOORS AND OUTSIDE YOUR HOME



Watch your waste!

Wasting water can add up guickly. On average, each person in the MWRA region uses about 60 gallons of water each day. More efficient water use can reduce the impact on the water supply and your wallet. For ways to make your home and your habits more water efficient, contact the MWRA at 617-242-SAVE or visit www.mwra.com for tips on how to save water indoors and in your backyard.



How to find and fix leaks

Dripping, trickling or leaking faucets, showerheads and toilets can waste up to several hundred gallons of water a week, depending on the size of the leaks. Worn-out washers are the main causes of leaks in faucets and showerheads. A new washer generally costs about 25 cents.



Install a low-flow showerhead and faucet aerator

Some showerheads may still use 5 gallons per minute. A low-flow showerhead uses 2.5 gallons or less and can save you over 20 gallons per 10 minute shower. In one year, that's over 7,000 gallons. Faucets can use 2 to 7 gallons of water per minute - a low-flow aerator can reduce the flow by about 25%.



A test for your home

That trickling sound you hear in the bathroom could be a leaky toilet, but sometimes toilets leak silently. TRY THIS: Crush a dye tablet and carefully empty the contents into the center of the toilet tank and allow it to dissolve or use a few drops of food coloring. Wait about 10 minutes. Inspect the toilet bowl. If color appears, your flapper or flush valve may need to be replaced. Parts are inexpensive and fairly easy to replace. If no dye has appeared after 10 minutes, you probably don't have a leak.



Promote Tap Water!

Let everyone you know that you are drinking some of the best water in the world! Put a sticker on your reusable water bottle and fill it with tap water. Contact the MWRA if you would like to receive a free sticker.

For Further Information

For more water saving ideas, go to www.mwra.com or call 617-242-SAVE.

